





### **VBP Incentive Payment Program**

# Mississippi Outcomes for Maternal Safety (MOMS) Initiative





# **Meeting Agenda**

- 1. Introductions
- 2. Overview of the MS Division of Medicaid VBP Program
- 3. MOMS Initiative Overview
- 4. MOMS Risk Assessment
- 5. Discharge Planning Best Practices
- 6. Incentive Payment Allocation & Filing Professional Claim
- 7. CCO MOMS Champion Direct Contact
- 8. Next Steps



# **MS VBP Program Overview**

Program Launch: July 1, 2024

**Objective:** Incentivize high value care to improve health outcomes and quality for beneficiaries.

**Incentives:** Will be shared by CCOs with hospitals and providers.

**Program Focus Areas:** 

#### 1. Maternal Health

- Mississippi Outcomes for Maternal Safety (MOMS) Risk Assessment (Part A)
- MOMS Postpartum Timely Follow-up (Part B)
- Cesarean Birth (PC-02)

#### 2. Mental Health

Antidepressant Medication Management: Continuation Phase Treatment (AMM-AD)


#### 3. Metabolic Health

 Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD-AD)



## **MOMS Initiative Overview**

- Severe Maternal Morbidity (SMM) includes the unexpected outcomes of labor and delivery that result in significant shortor long-term consequences to a woman's health. SMM has been increasing in prevalence and, in addition to poor health outcomes for women, cause increased medical costs.
- Mississippi's maternal morbidity rate is the highest in the nation.
- The Mississippi Outcomes for Maternal Safety (MOMS)
   Initiative aims to reduce SMM, improve quality of care and provide expectations for timing of outpatient follow-up.





### **MOMS Overview**

- The MOMS Assessment evaluates the SMM risk of the patient and will be completed by the time of discharge based on the real-time condition of the patient using factors that have been proven to contribute to SMM.
- The MOMS Assessment will result in a numerical score depending on whether the patient qualifies for a variety of SMM markers.
- Based on the score, the patient will be assigned a MOMS risk level ranging from Level
   1 to Level 3, which will determine the timing of their initial postpartum follow-up visit.

MOMS Assessment prior to discharge

**Risk Score Determined** 

Follow-up Appointment held based on level of risk



# **MOMS Overview: Process Flow**

This includes placing all Level 1 members into care management



Hospital completes MOMS Risk Assessment to calculate MOMS Risk Level



Hospital completes discharge planning and warm hand-off of patient



Exchange
MOMS Risk
Level and
related health
information





**CCO** supports



Outpatient
Provider receives
member's MOMS
Risk Level and
schedules followup accordingly



Outpatient
Provider
completes initial
postpartum
follow-up visit
timely based on
MOMS Risk Level



### **MOMS Overview: Performance Measures**

Performance of the MOMs Initiative will be evaluated in two parts:

Part A: MOMS Assessment Completion

Part A (Hospital Performance): MOMS
Assessment Completion-

Number of qualified patients for whom a completed assessment was conducted, and score was assigned at discharge following delivery.

Part B: Timely Postpartum Followup

Part B (*Postpartum Care Clinicians Performance*): Timely Postpartum
Follow-up –

Number of qualified patients that completed their initial postpartum follow-up visit within the requisite time frame based on their assigned MOMS score.



# **MOMS Overview: Reporting and HIE**

### **Part B Reporting Guidance:**

The MOMS Assessment completion will be captured by CCOs and DOM via reporting from the Health Information Exchange (HIE).

- Timely sharing of the MOMs Risk Level with the applicable outpatient provider is critical for all members, particularly those assessed at Level 1.
- The options for health information exchange are contingent upon the technological infrastructure utilized by hospitals and outpatient providers.
- HIE connectivity for hospitals is expected to be effective as of December 2024
- ADT transfer of the MOMS risk score via the statewide HIE (IntelliTrue) allows both CCOs and outpatient providers access to the risk score.

During the initial program years, as hospitals and outpatient providers establish connections to the HIE, alternative approaches beyond the HIE may be utilized for MOMS risk score transmission. In such cases, CCOs will track alternative methods of MOMS risk score transmission to ensure data completeness.



### **MOMS Overview: Assessment Form**



## **MOMS Assessment Overview**

- The MOMS Assessment evaluates the SMM risk of the patient and is completed by the time of discharge.
- SMM has been increasing in prevalence and, in addition to poor health outcomes for women, cause increased medical costs.
- Mississippi's maternal morbidity rate is one of the highest in the nation.
- Maternal health is one of DOM's primary focus areas for the Value-Based Payment Incentive Program (MSDOM VBP). Key components of this program include:
  - MOMS Assessment
  - Risk Level Identification
  - Risk Guided Post Partum Follow-up

	Maternal Clinical Conditions a	nd C	omplications parametrizational
	Amniotic Fluid Embolism		Infection/Sepsis
	Anesthesia Complications		Injury
	Asthma		Multiple gestation
	Cardiac Diseases:		Placenta previa
	Cardiac valvular disease		Placental abruption
	Cardiomyopathy		Preexisting diabetes mellitus
	Chronic congestive heart failure		Previous cesarean birth
	Congenital heart disease		Pulmonary Disease
	Cerebrovasular accident		Renal Disease:
	HELLP Syndrome		Chronic renal disease
	Hemorrhage		Pregnancy-related renal disease
	Human immunodeficiency virus		Sickle cell disease
•••••	Hypertensive Diseases:		Surgical, Bladder, and Bowel Complications
	Preexisting hypertension		Systemic lupus erythematosus
	Gestational hypertension		Thrombotic Embolism
	Mild to moderate preeclampsia		Other Other conditions/complications that put the
	Severe preeclampsia		patient at a higher risk for negative outcomes
	Unspecified preeclampsia		Other relevant clinical diagnosis (enter here)
	On Specifical Processing States		
	Maternal Behavioral	Hea	th secret attitud and a
	Mental Health:		Substance Use:
	Mental Health: Suicidal ideation		
			Substance Use:
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1		Substance Use: Current substance use disorder
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/		Substance Use: Current substance use disorder History of substance abuse
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled)		Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/		Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled)		Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll		Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity		Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here)
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here, and a light relevant behavioral health diagnosis (enter here, and a light relevant behavioral health diagnosis (enter here, and a light relevant behavioral health diagnosis)  Interpressional safety (violence screening)  Other: Other social needs that put the patient at a
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here, intal Needs (enter here, intal N
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity Utility difficulties	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here, that it is a light of the patient and other incarceration interpersonal safety (violence screening)  Other: Other social needs that put the patient at a higher risk for negative outcomes (list below)
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity Utility difficulties Problems related to employment and unemploymer	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here)  Ital Needs  Interpresonment and other incarceration  Interpersonal safety (violence screening)  Other: Other social needs that put the patient at a higher risk for negative outcomes (list below)
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/uncontrolled) Major mental health diagnosis (treated/controll  Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity Utility difficulties Problems related to employment and unemploymer Social isolation	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here, and a higher risk for negative outcomes)  Interpretation of the incarceration (interpretation)  Interpretation as fety (violence screening)  Other: Other social needs that put the patient at a higher risk for negative outcomes (list below)  Other health-related social need (HHSSVI) #1 (enter here)
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/ uncontrolled) Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity Utility difficulties Problems related to employment and unemployment Social isolation	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here)  Intal Needs  Interpressonal safety (violence screening)  Other: Other social needs that put the patient at a higher risk for negative outcomes (list below)  Other health-related social need (HISSN) #1 (enter here)
	Suicidal ideation Edinburg Post Partum Scale score >= 12 Edinburg Post Partum Scale score between 9-1 Major mental health diagnosis (untreated/uncontrolled) Major mental health diagnosis (treated/controll  Major mental health diagnosis (treated/controll  Maternal Social and Enviror Food insecurity Housing instability Transportation insecurity Utility difficulties Problems related to employment and unemploymer Social isolation	ed)	Substance Use:  Current substance use disorder  History of substance abuse  Current alcohol use disorder  History of alcohol abuse  Other Other behavioral health diagnosis that put the patient at a higher risk for negative outcomes  Other relevant behavioral health diagnosis (enter here)  Intal Needs (Substantial Health diagnosis (enter here)  Imprisonment and other incarceration  Interpersonal safety (violence screening)  Other: Other social needs that put the patient at a higher risk for negative outcomes (list below)  Other health-related social need (HHSSVI) #1 (enter here)



# Severe Maternal Morbidity Markers

### The MOMS Assessment Form calculates a risk score based on:

- Clinical conditions and complications
- Behavioral Health conditions
- Substance Use conditions
- Social and environmental factors
- Post-delivery infant health outcomes

### Demographic **Factors**

- Maternal age >35 or <20
- Black race
- Social determinants of health
- Substance use

### Pregnancy-Related Factors

- Nulliparity
- Prior cesarean delivery

### **Pre-Existing** Medical Diseases

- Obesity
- Diabetes mellitus
- Hypertension
- Renal insufficiency

#### Pre-Existing Cardiac Conditions

- Congenital heart disease
- LV dysfunction
- Hypertrophic cardiomyopathy
- Mechanical valve
- Severe mitral stenosis
- Symptomatic severe aortic stenosis
- Marfan syndrome
- · Bicuspid aortic valve
- Arrhythmia










### **MOMS** Risk Levels

Outpatient providers will see patients; scheduled by the hospital based on the member's risk levels. The Risk Level determine the urgency of the patient's initial postpartum follow-up visit.

- Level 1 patients must be seen within 5 calendar days post discharge.
- Level 2 patients within 10 calendar days post discharge.
- Level 3 patients within 30 calendar days post discharge.



### **Post Partum Workflow**



This workflow ensures that maternal risk assessments are accurately captured and used to guide the appropriate level of care, reducing the risk of maternal complications and improving health outcomes for mothers in Mississippi.






# **Discharge Planning**



# Discharge Planning-Outpatient Provider



### **Designated mailbox**

MS\_UHC\_Care\_Mgmt@uhc.com



#### **MTM- Link Mobile App**



https://www.mtm-inc.net/an-easier-way-to-manage-your-rides-is-here-the-mtm-link-member-mobile-app/


Patients can download the MTM app and setup transportation

Outpatient providers linked to a facility may explore capabilities to receive and view completed assessments via shared EHR





# Discharge Planning-UnitedHealthcare





16

### **Best Practice**

- Optimizing Scheduling Availability: Implement flexible scheduling options to accommodate varying patient needs and provider availability.
- **Use of Technology:** Utilize scheduling software and electronic health records (EHR) to streamline the scheduling process and reduce administrative burden.
- Document Follow-Up Visits: Accurately document all follow-up visits, including the
  use of the TS modifier, to ensure these visits are captured in the administrative claims
  data.
- Monitor Compliance: Regularly review compliance with the MOMS Program requirements, including the timely scheduling and completion of follow-up visits based on the patient's risk level.
- Additionally: Expectation is postpartum visit should review all identified SMM markers with patient



### **Post Partum Discharge Planning**

Discharge planning can be improved by making the process more streamlined through the following ways:

- i. MOMS Risk Assessment is completed before discharge, identifying the maternal risk level.
- Ensure efficient warm handoff to post-partum support teams (community-based post-partum care clinicians, nurse navigators, Care Managers).
- Postpartum care plan is created and reviewed by the care management team, including member's follow up appointments and social supports.
- iv. Discharge education is provided by care management team to make sure appointments are attended for postpartum appointment to be achieved.
- v. Member's health outcomes will be monitored for improved delivery in care.
- vi. Care managers will collaborate with community-based organizations to address SDOH barriers that may affect postpartum care.



### **Connecting with Care Management**

- Care Managers/Transition of Care (CM/TOC) Coaches connect with outpatient provider's staff for the most successful collaboration of postpartum care.
- Outpatient provider team may direct dial the assigned Care Manager to address barriers or contact Care Management team via Provider Service Line by choosing the Care Management option.
- Outpatient providers can locate the Care Manager's info in the Availity Care Coordination Portlet.
- Outpatient provider can direct message questions to Care Management using our secure email:

MHMS\_CM\_Referrals@MolinaHealthcare.com

Postpartum referrals are recommended for Level 1 Members:

- When outpatient provider unable to schedule the post-partum follow-up within the MOMs risk level.
- The member/patient has significant social risk factors that could impact timely post-partum follow-up.
- ☐ When the member is a no show.
- ☐ The member/patient has significant medical /behavioral conditions and gaps in care.



### **Outpatient Provider Best Practices**

- To improve quality of care start discharge education before delivery.
- ii. Review/Inquire MOMs Risk Level prior to scheduling postpartum visit.
- Consider reserved time slots for patients with Risk Level 1.
- iv. Consider option for Telehealth and/or Nurse Practitioner appointment.
- v. Use appointment reminders as systems allow to limit no-shows.
- Review assessment indicated medical, mental and social needs with the patient; make appropriate referrals and provide follow-up.
- vii. Provide education on post-partum risks/complications.
- viii. Consult/refer to specialty providers for follow up as needed.

Scheduling Guidelines:

- ☐ Risk Level 1: 5 Days
- ☐ Risk Level 2: 10 Days
- ☐ Risk Level 3: 30 Days



# Care Management Warm Hand-Off Approach



- Why is the MOMS Assessment Risk Score Warm Hand-Off Important
  - Ensures continuity of care for members
  - Fosters collaboration among healthcare team members
  - Engages members and encourages them to ask questions
  - Allows members to clarify information exchanged
  - Helps build positive relationships
- CCOs will have dedicated staff in place to receive warm hand-offs from hospitals.
   Hospitals will be able to call into the CCO and be connected to the care management department
- CCOs will conduct warm hand-offs to outpatient providers to ensure that timely postpartum appointments are scheduled
- Please see the Magnolia Health Contact slide for additional contact information

# Care Management Warm Hand-Off Approach



- Will review the risk score received from discharge facility
- Will prioritize level 1 risk scores and make outreach to members
- Will collaborate with providers to ensure members are scheduled postpartum visit appointments based on their risk score:
  - Level 1 5 calendar days
  - Level 2 10 calendar days
  - Level 3 30 calendar days
- Will work with members to offer postpartum support, assistance including but not limited to scheduling Transportation, SDOH and Resource needs, and help members reach optimal perinatal health

# Overview of MOMS Responsibilities



# MOMS Initiative Responsibilities

# Hospital Responsibilities

- MOMS Assessment completion.
- Discharge planning and warm hand-off.
- Transfer of MOMS risk level to outpatient provider and CCO.
- Performance monitoring and improvement.

### **Outpatient Provider Responsibilities**

- Receive MOMS Assessment results.
- Schedule timely follow-up appointments.
- Support patients to increase appointment completion.
- Performance monitoring and improvement.

# MOMS Initiative

Collaborative Approach

# **CCO Responsibilities**

- MOMS Implementation Plan.
- Collaboratively train relevant stakeholders.
- Support hospitals and providers through implementation and ongoing operations.
- Performance monitoring and improvement.
- Incentive payment sharing.

### DOM Responsibilities

- Stakeholder engagement.
- Clear and timely communication.
- Performance evaluation and payment.
- Continuous improvement.



# **Incentive Allocation**

# **Incentive Payment Allocation**

### Hospital

- \$250 Incentive
  - For each MOMS Assessment that is sent timely to the Health Plan
  - MOMS Assessment Risk Score is preferred to be sent via HIE

### Outpatient provider

- \$250 Incentive
  - For each Postpartum Visit completed within the MOMS Assessment risk score timeframe
  - The Postpartum Visit must be filed on a claim
- Annual Measurement Year for the MOMS Assessment is based on the State Fiscal Year (July1 June 30)
- Annual incentive payment to be paid by the health plan at the end of the measurement year following final calculation and approval by the Division of Medicaid



# Filing a Professional Claim

- The health plan must be able to identify the date when postpartum care was rendered because bundled service codes are used on the date of delivery, not on the date of the postpartum visit, claims on the postpartum date of service are needed.
- The Postpartum Visits will be identified by using administrative claims coded with 99211–99215, 59430, or 99501 with a TS modifier for the date of service the postpartum visit took place.
  - The TS modifier is used to signify the postpartum visit.
- Services may be provided via Office visit, Home visits, Telehealth, or Virtual visit.



# Filing a Professional Claim

- To submit a claim outside a bundled payment, the clinic should file a \$0.00 claim with the TS modifier for the date of the postpartum visit.
- This is performed the same way a claim for payment is conducted.
- If multiple postpartum visits occur within the allotted timeframe, a \$0.00 claim with a TS modifier should be sent for each postpartum visit.
- Please make sure your clearinghouse is pushing these \$0.00 claims through to the health plan.
- Under a bundled arrangement, the CCO may deny the postpartum claim, it will still be recorded and counted towards the MOMS incentive.



# **Timeframes for Payment Processing:**

- Incentive payments will be distributed as a lump sum through the CCOs at the end of the measurement period, which began July 2024 and runs through June 2025
- The MOMs incentive will be paid out at the billing provider level.
- Providers can expect periodic reporting and quarterly tracking to monitor their participation and performance in the program.





# **MOMS Champions**

### **UHC MOMS Champion**

Kimberly Bollman kimberly.bollman@uhc.com Pam Hogan pamela\_hogan@uhc.com

### Magnolia MOMS Champion

Carrie Mitchell
jaccompliance@centene.com
Magnolia Health Plan
1-866-912-6285
Press 2 for
Member Services

MOMS Champion
Direct Contacts

# Molina MOMS Champion

Shira Brownell
601-281-5072
shira.brownell@molinahealthcare.com
Rich Jones, VP, HCS
Richard.Jones@Molinahealthcare.com
Terri Smith, DBH, LMSW, LPN
248-824-1315

Terri.Smith2@Molinahealthcare.com

# DOM Support and Collaboration

qipp@medicaid.ms.gov

#### **DOM VBP Site**

https://medicaid.ms.gov/value-based-incentives/

Includes Links to:

MOMS Assessment Overview MOMS Assessment Spreadsheet



### **Molina Healthcare of MS Care Management Contacts**

### MHMS CM Referrals@MolinaHealthcare.com

**MOMS Program Contacts** 

Terri Smith, DBH, LMSW, LPN
Program Manager, HCS Care Management

248-824-1315

Terri.Smith2@Molinahealthcare.com

Shira Brownell, AVP, HCS (MOMS Champion)

601-281-5072

Shira.Brownell@Molinahealthcare.com

Rich Jones, VP, HCS

Richard.Jones@Molinahealthcare.com

Candy Williard, Director of Provider Relations Candy. Williard @Molinahealthcare.com

**Additional Care Management Contacts** 

Demetria Young, MPH, BSN, RN, CCM

Manager, HCS Care Management (HROB CM)

601-647-9085

Demetria. Young@Molinahealthcare.com

Shamekias Lampkin, MS, LPC-S, BC-TMH

Manager, HCS (Behavioral Health)

601-281-5561

Shamekias.Lampkin@Molinahealthcare.com

Karen Atkinson, Director, HCS Care Management

Karen. Atkinson@Molinahealthcare.com



# **MOMS Additional Contacts**

### MS UHC Care Mgmt@uhc.com

#### **Case Management Contacts**

#### Pamela Hogan RN,BSN,CCM

Program Manager, Maternal Child Health 651- 414- 8972 <a href="mailto:pamela-hogan@uhc.com">pamela-hogan@uhc.com</a>

#### **Kimberly Bollman RN**

Health Services Director kimberly.bollman@uhc.com

#### **Dr. Dana Carbo Bryant**

Senior Medical Director dana.carbo-bryant@uhc.com

#### **Additional Program Contacts**

#### **Cara Roberson**

Director of Clinical Quality cara roberson@uhc.com

#### **Stephanie Bullock**

Manager, Provider Relations and Service Advocacy Provider Engagement and Experience <a href="mailto:stephanie-bullock@uhc.com">stephanie-bullock@uhc.com</a>

#### Lesa McGillivray

Assc. Director Behavioral Health lesa mcgillivray@uhc.com



# How to Contact Magnolia Health Plan



#### **1-866-912-6285**, select 2 for Member Services

#### MHPMaternalHealth@centene.com

Bridget Jordan, BSN, RN, CCM
OB Team Supervisor

brjordan@centene.com 601-383-8418

Carrie Mitchell, BSN, RN, MBA, CCM, CPQH

VP Quality Improvement (MOMS Champion)

carmitchell@centene.com

Christie Moody, BSN, RN

Director, Care Management

chmoody@centene.com

Allyson McDonnieal, BSN, RN, CCM

Sr. Manager, BH/Foster Care

amcdonnieal@centene.com

Kimberly Ball, BSN, RN, CCM

Sr. Manager, Operations

kball@centene.com

# **MOMS Feedback Survey Link**

Your feedback is essential to support the seamless implementation of the program. This survey is designed to gather your insights regarding the training webinar and your hospital's next steps.

- The survey is comprised of 5 questions designed to be completed in less than 10 minutes.
- This survey link will remain open through March 31<sup>st</sup>

If you have any questions or require assistance while completing the survey, please contact David Paradiso, Senior Manager with Myers and Stauffer at: dparadiso@mslc.com.

Outpatient Webinar Survey Link



# **Next Steps**

### We encourage hospitals and outpatient providers to:

- Click on the Training Poll/Survey Link and complete.
- Begin familiarizing teams with the MOMS Risk Scores and scheduling criteria, ideally creating plans to optimize scheduling availability.
- Plan to establish HIE connectivity and implement ADT messaging systems to receive MOMS Risk Scores.
- A recording of todays training and slides will be posted on the DOM VBP webpage https://medicaid.ms.gov/value-based-incentives/.

Thank you for your commitment to advancing maternal health in Mississippi

